

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

SB252
145

5

U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report



USDA
NATL AGRIC LIBRARY
2002 JUN 22 P 5:19
CURRENT SERV. SEC. 03
ACQ/SERIALS BRANCH

CLASSINGS THROUGH NOVEMBER 2, 2000

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through
November 2, 2000

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	25	582	3,705	15,387	68,170	180,225	298,095	326,387	892,576
	3	17	461	3,496	12,893	33,342	71,324	116,849	138,162	376,544
	4	1	118	839	3,306	6,977	11,827	15,483	15,767	54,318
	5	-	8	129	400	917	1,636	1,803	1,657	6,550
	6	-	-	13	17	70	103	155	156	514
	7	-	-	1	1	2	-	9	15	28
	TOTAL----	43	1,169	8,183	32,004	109,478	265,115	432,394	482,144	1,330,530
31	1-2	-	6	59	693	12,247	67,709	168,429	222,930	472,073
	3	-	3	121	969	12,654	87,233	293,655	493,621	888,256
	4	1	21	113	540	2,855	10,139	33,025	74,180	120,874
	5	-	11	77	237	802	1,747	2,286	3,281	8,441
	6	-	1	21	76	177	406	483	470	1,634
	7	-	-	-	6	10	53	78	80	227
	TOTAL----	1	42	391	2,521	28,745	167,287	497,956	794,562	1,491,505
41	1-2	-	5	15	306	5,571	33,295	85,604	116,227	241,023
	3	1	3	26	577	10,305	76,896	272,995	492,745	853,548
	4	-	3	9	110	1,932	13,089	53,853	129,296	198,292
	5	-	-	4	43	369	1,296	2,974	5,940	10,626
	6	-	-	3	13	127	333	505	447	1,428
	7	-	-	-	-	12	45	56	50	163
	TOTAL----	1	11	57	1,049	18,316	124,954	415,987	744,705	1,305,080
51	1-2	-	-	4	42	487	2,332	5,668	6,647	15,180
	3	-	-	3	81	1,071	7,491	22,015	33,770	64,431
	4	-	1	-	12	282	2,095	7,114	13,619	23,123
	5	-	-	-	1	41	321	779	1,182	2,324
	6	-	-	-	-	9	46	76	68	199
	7	-	-	-	-	-	-	6	13	19
	TOTAL----	-	1	7	136	1,890	12,285	35,658	55,299	105,276
61	1-2	-	-	-	3	6	16	42	47	114
	3	-	1	1	3	4	50	131	139	329
	4	-	-	-	-	3	35	120	97	255
	5	-	-	-	-	1	7	23	24	55
	6	-	-	-	-	-	1	5	5	11
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	1	1	6	14	109	321	312	764
71	1-2	-	-	2	-	2	4	7	5	20
	3	-	-	-	-	2	4	12	9	27
	4	-	-	-	-	-	2	4	2	8
	5	-	-	-	-	-	1	4	2	7
	6	-	-	-	-	-	1	-	-	1
	7	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	2	-	4	12	27	18	63
12 & 22	1-2	15	185	984	4,455	13,589	27,269	32,222	26,904	105,623
	3	19	216	1,122	4,066	10,483	18,445	24,215	22,950	81,516
	4	4	103	362	1,062	2,285	2,902	4,001	4,460	15,179
	5	-	16	91	279	393	419	386	331	1,915
	6	-	1	2	20	28	49	36	27	163
	7	-	-	-	-	-	2	3	2	7
	TOTAL----	38	521	2,561	9,882	26,778	49,086	60,863	54,674	204,403
32	1-2	-	4	57	410	4,153	14,029	23,959	25,270	67,882
	3	-	24	144	936	6,579	24,933	50,226	60,654	143,496
	4	-	19	116	455	1,739	4,643	9,672	14,072	30,716
	5	1	9	64	277	454	729	860	921	3,315
	6	-	-	11	52	82	177	180	140	642
	7	-	-	1	2	2	16	17	28	66
	TOTAL----	1	56	393	2,132	13,009	44,527	84,914	101,085	246,117
42	1-2	-	3	16	295	3,740	14,471	26,930	29,180	74,635
	3	1	7	45	830	10,132	48,942	117,877	158,915	336,749
	4	1	-	13	192	1,953	12,090	38,497	64,470	117,216
	5	-	-	11	36	261	733	1,859	3,663	6,563
	6	-	-	5	9	63	111	168	149	505
	7	-	-	-	-	7	14	29	12	62
	TOTAL----	2	10	90	1,362	16,156	76,361	185,360	256,389	535,730
52	1-2	-	-	-	70	557	1,930	3,526	4,226	10,309
	3	-	1	3	189	2,266	12,429	26,708	29,888	71,484
	4	1	-	2	47	670	4,664	13,625	18,608	37,617
	5	-	1	1	7	55	320	1,091	2,066	3,541
	6	-	-	-	6	5	55	96	89	251
	7	-	-	-	-	1	5	15	13	34
	TOTAL----	1	2	6	319	3,554	19,403	45,061	54,890	123,236

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE								
		26 & - Bales	28 Bales	29 Bales	30 Bales	31 Bales	32 Bales	33 Bales	34 Bales	34 & - Bales
62	1-2	-	-	-	-	7	17	30	31	85
	3	-	-	-	3	21	89	185	155	453
	4	-	-	-	1	11	96	223	154	485
	5	-	-	-	1	2	15	55	46	119
	6	-	-	-	-	-	1	3	4	8
	7	-	-	-	-	-	1	-	2	3
TOTAL---		-	-	-	5	41	219	496	392	1,153
13 & 23	1-2	1	15	79	310	687	1,072	1,091	431	3,686
	3	-	7	49	281	669	1,117	1,116	677	3,916
	4	-	4	26	98	153	215	215	260	971
	5	-	-	3	26	30	26	31	36	152
	6	-	-	2	3	3	-	1	6	15
	7	-	-	-	-	-	-	-	-	-
TOTAL---		1	26	159	718	1,542	2,430	2,454	1,410	8,740
33	1-2	-	2	7	42	136	394	530	384	1,495
	3	-	3	19	97	264	759	1,162	998	3,302
	4	-	-	12	88	173	282	328	434	1,317
	5	-	1	5	21	40	46	67	116	296
	6	-	-	4	10	8	14	4	10	50
	7	-	-	-	3	1	8	3	1	16
TOTAL---		-	6	47	261	622	1,503	2,094	1,943	6,476
43	1-2	-	1	3	32	152	384	610	491	1,673
	3	-	-	5	52	441	1,557	2,903	2,772	7,730
	4	-	-	1	31	176	598	1,321	1,426	3,553
	5	-	-	3	6	32	57	64	151	313
	6	-	-	-	6	3	1	2	6	18
	7	-	-	2	-	-	2	-	-	4
TOTAL---		-	1	14	127	804	2,599	4,900	4,846	13,291
53	1-2	-	-	-	6	42	102	175	153	478
	3	-	-	1	23	328	1,005	1,565	1,193	4,115
	4	-	-	-	1	91	519	992	821	2,424
	5	-	-	-	-	9	46	95	124	274
	6	-	-	-	-	-	4	5	19	28
	7	-	-	-	-	1	2	4	4	11
TOTAL---		-	-	1	30	471	1,678	2,836	2,314	7,330
63	1-2	-	-	-	-	2	1	4	6	13
	3	-	-	-	-	8	19	35	27	89
	4	-	-	-	-	3	19	28	35	85
	5	-	-	-	-	1	4	12	11	28
	6	-	-	-	-	-	1	1	-	2
	7	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	14	44	80	79	217
24-54	1-7	-	11	16	38	91	166	163	192	677
25-35	1-7	-	-	-	-	-	-	-	2	2
81-85 1/	1-7	-	1	2	29	30	37	30	26	155
	8 2/	-	-	8	13	24	34	51	62	192
TOTAL, ALL---		88	1,858	11,938	50,632	221,583	767,849	1,771,645	2,555,344	5,380,937

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	283,480	248,099	172,387	34,914	5,937	289	1,637,682
	3	115,302	103,177	99,834	18,420	2,833	149	716,259
	4	11,379	7,338	6,578	1,076	242	4	80,935
	5	815	331	227	60	30	1	8,014
	6	88	10	1	1	-	-	614
	7	5	-	-	-	-	-	33
	TOTAL----	411,069	358,955	279,027	54,471	9,042	443	2,443,537
31	1-2	146,752	50,485	20,032	3,148	444	19	692,953
	3	424,149	174,605	63,643	8,779	1,208	97	1,560,737
	4	88,084	44,041	14,096	1,852	271	16	269,234
	5	3,347	1,817	879	165	62	2	14,713
	6	285	84	26	13	5	1	2,048
	7	20	3	-	-	-	-	250
	TOTAL----	662,637	271,035	98,676	13,957	1,990	135	2,539,935
41	1-2	64,411	13,740	1,830	149	15	1	321,169
	3	383,291	112,768	16,650	1,210	166	8	1,367,641
	4	149,707	67,605	16,036	1,418	110	5	433,173
	5	8,298	5,308	2,050	223	35	3	26,543
	6	314	206	95	9	6	2	2,060
	7	26	5	4	-	-	-	198
	TOTAL----	606,047	199,632	36,665	3,009	332	19	2,150,784
51	1-2	2,871	464	35	2	-	-	18,552
	3	21,167	4,812	535	57	2	2	91,006
	4	12,800	4,952	1,000	149	4	43	42,071
	5	1,446	932	389	53	1	-	5,145
	6	70	54	38	4	-	-	365
	7	8	5	7	1	-	-	40
	TOTAL----	38,362	11,219	2,004	266	8	2	157,137
61	1-2	11	5	3	3	-	-	136
	3	89	16	10	1	-	-	445
	4	54	18	5	-	-	-	332
	5	8	4	-	-	-	-	67
	6	2	1	-	-	-	-	14
	7	-	1	-	-	-	-	1
	TOTAL----	164	45	18	4	-	-	995
71	1-2	3	-	1	-	-	-	24
	3	2	2	-	-	-	-	4
	4	1	1	-	-	-	-	31
	5	1	-	-	-	-	-	10
	6	-	-	-	-	-	-	8
	7	-	-	-	-	-	-	1
	TOTAL----	7	3	1	-	-	-	74
12 & 22	1-2	12,957	4,732	1,313	164	39	31	124,859
	3	11,288	3,579	1,363	182	51	26	98,005
	4	2,679	953	331	29	7	1	19,179
	5	203	81	15	-	4	-	2,218
	6	13	10	-	-	-	-	186
	7	-	-	-	-	-	-	7
	TOTAL----	27,140	9,355	3,022	375	101	58	244,454
32	1-2	11,540	1,968	321	69	51	25	81,856
	3	35,502	8,295	1,155	181	65	23	188,717
	4	10,835	3,743	677	53	18	1	46,043
	5	966	402	109	11	5	-	4,808
	6	91	74	6	-	1	-	814
	7	16	16	-	-	-	-	98
	TOTAL----	58,950	14,498	2,268	314	140	49	322,336
42	1-2	13,345	1,991	119	15	17	10	90,132
	3	92,903	19,879	1,383	56	19	37	451,026
	4	50,733	15,219	1,590	69	4	1	184,832
	5	3,902	1,618	187	11	1	-	12,282
	6	132	77	12	-	-	-	726
	7	8	8	2	-	-	-	80
	TOTAL----	161,023	38,792	3,293	151	41	48	739,078
52	1-2	1,464	193	6	3	-	2	11,977
	3	15,098	2,751	156	6	-	2	89,497
	4	13,076	3,538	322	6	-	-	54,559
	5	2,034	912	109	3	-	-	6,599
	6	61	49	8	-	-	-	369
	7	-	-	-	-	-	-	34
	TOTAL----	31,733	7,443	601	18	-	4	163,035

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE							
		35	36	37	38	39	40 &+	35 to 40+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	21	2	-	-	-	-	23	108
	3	81	12	-	-	-	-	93	546
	4	47	10	-	-	-	-	57	542
	5	16	5	-	-	-	-	21	140
	6	3	1	-	-	-	-	4	12
	7	1	-	-	-	-	-	1	4
TOTAL----		169	30	-	-	-	-	199	1,352
13 & 23	1-2	229	76	22	1	1	2	331	4,017
	3	352	95	39	5	4	1	496	4,412
	4	116	37	6	-	-	-	159	1,130
	5	12	-	-	-	-	-	12	164
	6	2	-	-	-	-	-	2	17
	7	-	-	-	-	-	-	-	-
TOTAL----		711	208	67	6	5	3	1,000	9,740
33	1-2	215	66	27	-	-	5	313	1,808
	3	520	206	132	10	1	4	873	4,175
	4	281	123	23	2	-	1	430	1,747
	5	62	14	6	-	-	-	82	378
	6	6	3	-	-	-	-	9	59
	7	1	-	-	-	-	-	1	17
TOTAL----		1,085	412	188	12	1	10	1,708	8,184
43	1-2	186	34	4	-	-	-	224	1,897
	3	1,305	247	19	3	1	-	1,575	9,305
	4	670	192	21	-	-	1	884	4,437
	5	101	26	5	-	-	-	132	445
	6	12	1	1	-	-	-	14	32
	7	-	1	1	-	-	-	2	6
TOTAL----		2,274	501	51	3	1	1	2,831	16,122
53	1-2	46	4	-	1	-	-	51	529
	3	388	66	4	-	1	-	459	4,574
	4	354	104	7	-	-	-	465	2,889
	5	67	18	1	-	-	-	86	360
	6	3	1	-	-	-	-	4	32
	7	-	2	-	-	-	-	2	13
TOTAL----		858	195	12	1	1	-	1,067	8,397
63	1-2	3	2	-	-	-	-	5	18
	3	14	-	-	-	-	-	14	103
	4	14	4	-	-	-	-	18	103
	5	2	1	-	-	-	-	3	31
	6	1	-	-	-	-	-	1	3
	7	-	-	-	-	-	-	-	-
TOTAL----		34	7	-	-	-	-	41	258
24-54	1-7	85	70	18	4	-	1	178	855
25-35	1-7	-	-	-	-	-	-	-	2
81-85 1/	1-7	20	6	9	2	-	-	37	192
	8 2/	25	2	3	4	-	4	38	230
TOTAL, ALL----		2,002,393	912,408	425,923	72,597	11,662	777	3,425,760	8,806,697
EXTRANEEOUS MATTER									Average Staple ----- 34.1
Bark - Level 1		77,764							Percent Tenderable ----- 67.3
Bark - Level 2		125							
Grass - Level 1		59,894							
Grass - Level 2		309							
Prep - Level 1		11,515							
Prep - Level 2		27							
Other - Level 1		10,198							
Other - Level 2		6							

8,806,697 bales classed, includes 8,244 of Kansas. 1/ Below Color. 2/ Below Leaf.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.2	0.8	2.0	3.4	3.7	3.2	2.8	2.0	0.4	0.1	*	18.6
	3	*	*	*	0.1	0.4	0.8	1.3	1.6	1.3	1.2	1.1	0.2	*	*	8.1
	4	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	0.1	*	*	*	0.9
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	0.1	0.4	1.2	3.0	4.9	5.5	4.7	4.1	3.2	0.6	0.1	*	27.7
31	1-2	*	*	*	*	0.1	0.8	1.9	2.5	1.7	0.6	0.2	*	*	*	7.9
	3	*	*	*	*	0.1	1.0	3.3	5.6	4.8	2.0	0.7	0.1	*	*	17.7
	4	*	*	*	*	*	0.1	0.4	0.8	1.0	0.5	0.2	*	*	*	3.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	0.3	1.9	5.7	9.0	7.5	3.1	1.1	0.2	*	*	28.8
41	1-2	*	*	*	*	0.1	0.4	1.0	1.3	0.7	0.2	*	*	*	*	3.6
	3	*	*	*	*	0.1	0.9	3.1	5.6	4.4	1.3	0.2	*	*	*	15.5
	4	*	*	*	*	*	0.1	0.6	1.5	1.7	0.8	0.2	*	*	*	4.9
	5	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	0.2	1.4	4.7	8.5	6.9	2.3	0.4	*	*	*	24.4
51	1-2	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.2
	3	*	*	*	*	*	0.1	0.2	0.4	0.2	*	*	*	*	*	1.0
	4	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.5
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	0.1	0.4	0.6	0.4	0.1	*	*	*	*	*	1.8
61	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	*	0.2	0.3	0.4	0.3	0.1	*	*	*	*	*	1.4
	3	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	*	*	1.1
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	0.1	0.3	0.6	0.7	0.6	0.3	0.1	*	*	*	*	2.8
32	1-2	*	*	*	*	*	0.2	0.3	0.3	0.1	*	*	*	*	*	0.9
	3	*	*	*	*	0.1	0.3	0.6	0.7	0.4	0.1	*	*	*	*	2.1
	4	*	*	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	0.5
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	0.1	0.5	1.0	1.1	0.7	0.2	*	*	*	*	*	3.7
42	1-2	*	*	*	*	*	0.2	0.3	0.3	0.2	*	*	*	*	*	1.0
	3	*	*	*	*	0.1	0.6	1.3	1.8	1.1	0.2	*	*	*	*	5.1
	4	*	*	*	*	*	0.1	0.4	0.7	0.6	0.2	*	*	*	*	2.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	0.2	0.9	2.1	2.9	1.8	0.4	*	*	*	*	*	8.4
52	1-2	*	*	*	*	*	0.1	0.3	0.3	0.2	*	*	*	*	*	0.1
	3	*	*	*	*	*	*	0.2	0.2	0.1	*	*	*	*	*	1.0
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.6
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	*	*	*	*	0.2	0.5	0.6	0.4	0.1	*	*	*	*	*	1.9

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	4		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	5		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	6		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	7		-	-	-	-	-	*	-	*	*	*	-	-	-	-	*	
TOTAL----			-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
13 & 23	1-2		*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3		-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4		-	*	*	*	*	*	*	*	*	*	*	-	-	-	*	
	5		-	-	*	*	*	*	*	*	*	-	-	-	-	-	*	
	6		-	-	*	*	*	-	*	*	*	-	-	-	-	-	*	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
33	1-2		-	*	*	*	*	*	*	*	*	*	*	-	*	*	*	
	3		-	*	*	*	*	*	*	*	*	*	*	*	-	*	*	
	4		-	-	*	*	*	*	*	*	*	*	*	*	-	*	*	
	5		-	*	*	*	*	*	*	*	*	*	*	-	-	-	*	
	6		-	-	*	*	*	*	*	*	*	*	-	-	-	-	*	
	7		-	-	-	*	*	*	*	*	*	-	-	-	-	-	*	
TOTAL----			-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
43	1-2		-	*	*	*	*	*	*	*	*	*	*	-	*	-	*	
	3		-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1	
	4		-	-	*	*	*	*	*	*	*	*	*	-	-	-	*	
	5		-	-	*	*	*	*	*	*	*	*	*	-	-	-	*	
	6		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	7		-	-	*	-	*	-	-	-	*	*	*	-	-	-	*	
TOTAL----			-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	*	0.2	
53	1-2		-	-	-	*	*	*	*	*	*	*	*	-	*	-	*	
	3		-	-	*	*	*	*	*	*	*	*	*	-	-	-	*	
	4		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	5		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	6		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	7		-	-	-	-	*	*	*	*	-	*	*	-	-	-	*	
TOTAL----			-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
63	1-2		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3		-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
	4		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	5		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	6		-	-	-	-	-	*	*	-	*	-	-	-	-	-	*	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
TOTAL----			-	-	-	-	*	*	*	*	*	-	-	-	-	-	*	
24-54	1-7		-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7		-	-	-	-	-	-	*	*	-	*	*	-	-	-	*	
81-85 1/	1-7		-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	8 2/		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
TOTAL, ALL----			*	*	0.1	0.6	2.5	8.7	20.1	29.0	22.7	10.4	4.8	0.8	0.1	*	100.0	
EXTRANEEOUS MATTER																	Average Staple	34.1
																	Percent Tenderable	67.3
Bark - Level 1			0.9															
Bark - Level 2			*															
Grass - Level 1			0.7															
Grass - Level 2			*															
Prep - Level 1			0.1															
Prep - Level 2			*															
Other - Level 1			0.1															
Other - Level 1			*															

8,806,697 bales classed includes 8,244 of Kansas. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.6	2.0	3.6	3.4	1.4	0.3	*	*	-	-	11.4
	3	-	*	*	*	0.2	0.9	2.2	2.5	1.3	0.4	*	-	-	-	7.6
	4	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	-	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	0.1	0.8	3.0	6.0	6.1	2.9	0.7	0.1	*	-	-	19.7
31	1-2	-	-	*	*	0.3	1.3	2.5	2.3	0.8	0.1	*	*	-	-	7.3
	3	-	-	*	*	0.5	3.3	8.9	9.7	4.5	1.1	0.1	*	-	-	28.1
	4	-	*	*	*	0.1	0.5	1.4	1.9	1.2	0.3	*	*	-	-	5.5
	5	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.9	5.1	12.8	14.0	6.6	1.6	0.2	*	-	-	41.1
41	1-2	-	*	*	*	0.1	0.5	0.8	0.6	0.1	*	*	-	-	-	2.1
	3	-	-	*	*	0.3	2.1	5.9	6.1	2.9	0.7	*	-	-	-	18.1
	4	-	-	-	-	*	0.5	1.4	2.4	1.7	0.5	*	-	-	-	6.6
	5	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.4	3.2	8.1	9.2	4.9	1.2	0.1	-	-	-	27.2
51	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5
	3	-	-	*	*	*	0.1	0.2	0.2	*	*	*	-	-	-	0.5
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	-	1.1
32	1-2	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	-	-	-	0.8
	3	-	*	*	*	0.1	0.5	0.9	0.8	0.3	*	*	-	-	-	2.6
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.2	0.8	1.3	1.2	0.5	0.1	*	*	-	-	4.0
42	1-2	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	-	0.6
	3	*	-	-	*	0.2	0.9	1.3	1.1	0.3	*	*	-	-	-	3.9
	4	-	-	-	-	*	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	*	*	*	*	0.3	1.3	1.8	1.6	0.5	0.1	*	-	-	-	5.6
52	1-2	-	-	-	*	*	*	0.1	*	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	-	0.3

* Less than 0.05 percent.

Table 3. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY		LEAF	STAPLE														TOTAL	
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	*	*	*	*	*	-	-	-	-	-	-		
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	*	*	*	*	*	*	-	-	-	-	-	-		
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-		
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
	5	-	-	-	-	*	-	-	-	*	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	*	*	*	*	*	*	*	-	-	-	0.1		
43	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	-		
	3	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.2		
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1		
	5	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3		
53	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	-		
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*		
	4	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	*	*	*	*	*	*	-	-	-	-	*		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*		
81-85 1/2	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*		
TOTAL, ALL----			*	*	*	0.1	2.8	13.8	30.8	32.7	15.6	3.7	0.4	*	-	100.0		
EXTRANEEOUS MATTER																	Average Staple Percent Tenderable	33.6 67.7
Bark - Level 1			1.0															
Bark - Level 2			-															
Grass - Level 1			0.4															
Grass - Level 2			*															
Prep - Level 1			-															
Prep - Level 2			-															
Other - Level 1			-															
Other - Level 1			*															

335,144 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.3	1.8	10.1	26.7	27.5	11.4	1.1	-	-	78.9
	3	-	-	-	-	-	-	0.1	0.7	2.4	2.6	1.1	0.2	-	-	7.2
	4	-	-	-	-	-	-	-	0.1	0.2	0.3	0.1	-	-	-	0.7
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	0.3	1.9	10.9	29.3	30.4	12.6	1.3	0.1	-	86.9
31	1-2	-	-	-	-	-	-	0.2	0.8	1.6	1.2	0.5	-	-	-	4.4
	3	-	-	-	-	-	-	-	0.2	0.5	0.5	0.3	-	-	-	1.5
	4	-	-	-	-	-	-	-	0.1	0.1	0.2	0.1	-	-	-	0.5
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	0.1	0.3	1.2	2.2	1.9	0.8	0.1	-	-	6.5
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	0.1	0.7	1.6	1.2	0.2	-	-	-	3.9
	3	-	-	-	-	-	-	-	0.2	0.4	0.4	0.1	-	-	-	1.2
	4	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	0.2	0.9	2.1	1.8	0.4	-	-	-	5.4
32	1-2	-	-	-	-	-	-	-	-	0.1	-	-	-	-	-	0.2
	3	-	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	0.1	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	0.1	0.2	0.2	0.2	0.1	-	-	-	0.8
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2		-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
	3		-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	4		-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	5		-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	6		-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	*	*	*	*	*	*	*	-	0.1	
33	1-2		-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	3		-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	4		-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	5		-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	6		-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	7		-	-	-	-	-	-	-	*	*	-	-	-	-	*	
TOTAL----			-	-	-	-	-	*	*	*	*	*	*	-	-	0.1	
43	1-2		-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	3		-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	4		-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	5		-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	6		-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	7		-	-	-	-	-	-	-	-	*	*	*	-	-	*	
TOTAL----			-	-	-	-	-	-	-	*	*	*	*	-	-	*	
53	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	*	-	-	-	-	*	
TOTAL----			-	-	-	-	-	-	-	-	*	-	-	-	-	*	
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7		-	-	-	-	-	-	*	*	*	-	-	-	-	*	
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	*	
81-85 1/	1-7		-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	8 2/		-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL----			-	-	-	*	*	0.4	2.4	13.3	34.0	34.4	14.0	1.3	0.1	*	100.0
EXTRANEEOUS MATTER																	
Bark - Level 1			0.8														
Bark - Level 2			*														
Grass - Level 1			0.7														
Grass - Level 2			*														
Prep - Level 1			*														
Prep - Level 2			-														
Other - Level 1			0.1														
Other - Level 1			-														
			Average Staple														35.5
			Percent Tenderable														62.3

221,180 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 5. — *Arkansas*: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.5	1.5	1.3	0.4	*	*	-	-	3.8
	3	-	-	-	-	*	*	0.2	0.9	1.2	0.4	*	*	-	-	2.7
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.1	0.7	2.4	2.6	0.9	0.1	*	-	-	6.7
31	1-2	-	-	-	*	*	0.1	1.0	3.6	3.6	0.9	0.1	*	-	-	9.2
	3	-	-	-	*	*	0.2	1.8	8.1	10.9	3.5	0.2	*	-	-	24.7
	4	-	-	-	-	*	*	0.2	1.0	2.2	1.1	0.1	*	-	-	4.6
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.3	2.9	12.7	16.8	5.5	0.4	*	-	-	38.6
41	1-2	-	-	-	*	*	0.1	0.4	1.8	1.6	0.3	*	-	-	-	4.2
	3	-	-	-	*	*	0.3	1.9	8.0	9.7	2.7	0.2	*	-	-	22.8
	4	-	-	-	*	*	0.1	0.6	2.3	4.1	2.0	0.2	*	-	-	9.2
	5	-	-	-	-	*	-	*	0.1	0.3	0.2	*	-	-	-	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.4	3.0	12.3	15.6	5.2	0.5	*	-	-	36.9
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.2	0.6	0.7	0.3	*	*	-	-	1.8
61	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	*	0.2	0.4	0.2	*	*	*	-	-	0.9
32	1-2	-	-	-	*	*	*	0.2	0.4	0.2	*	*	*	-	-	0.8
	3	-	-	-	-	*	*	0.5	1.3	1.0	0.2	*	*	-	-	3.0
	4	-	-	-	-	-	-	0.1	0.2	0.3	0.1	*	*	-	-	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.1	0.7	1.9	1.5	0.3	*	*	-	-	4.5
42	1-2	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	-	-	1.0
	3	-	-	-	-	*	0.2	0.9	2.2	1.9	0.5	*	*	-	-	5.7
	4	-	-	-	-	-	*	0.3	0.8	0.8	0.3	*	*	-	-	2.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.2	1.4	3.5	3.1	0.8	0.1	*	-	-	9.2
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	-	-	0.7
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	0.2	0.5	0.4	0.1	*	*	-	-	1.3

* Less than 0.05 percent.

Table 5. — **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	0.1	1.2	9.4	34.2	40.9	13.1	1.0	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		*														
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,076,685 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY		LEAF	STAPLE														TOTAL
COLOR	26 & - Pct.		28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.		
11 & 21	1-2	-	-	*	-	*	0.2	1.2	3.9	8.8	15.9	15.9	4.1	0.7	*	50.7	
	3	-	-	-	-	*	*	0.2	0.7	2.4	7.8	10.0	2.2	0.3	*	23.6	
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	*	*	*	0.4	
	5	-	-	-	-	-	-	-	*	*	-	-	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	*	-	*	0.2	1.4	4.6	11.2	23.8	26.1	6.3	1.1	0.1	74.7	
31	1-2	-	-	-	-	*	*	0.1	0.5	1.1	2.3	1.9	0.4	0.1	*	6.4	
	3	-	-	-	-	*	*	0.1	0.4	1.8	5.1	5.5	1.0	0.2	*	14.0	
	4	-	-	-	-	*	*	*	*	0.1	0.3	0.5	0.1	*	*	1.1	
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	*	*	0.2	0.9	3.0	7.7	8.0	1.5	0.2	*	21.5	
41	1-2	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6	
	3	-	-	-	-	-	*	*	0.1	0.3	0.6	0.5	0.1	*	*	1.7	
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3	
	5	-	-	-	-	-	-	-	*	*	*	-	*	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	*	*	0.2	0.5	0.9	0.7	0.1	*	*	2.5	
51	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	*	0.1	
61	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
71	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
12 & 22	1-2	-	-	-	-	*	*	*	0.1	0.1	*	0.1	*	*	*	0.3	
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.6	
32	1-2	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.1	
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4	
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
52	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*	
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*	

* Less than 0.05 percent.

Table 6. — **California**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	-	*	*	*	-	-	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	4	-	-	-	-	*	*	*	*	*	*	-	*	-	*	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	*	-	*	*
43	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	*	*
	4	-	-	-	-	-	-	*	*	-	-	*	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	-	-	*	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	-	-	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	8 2/	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
TOTAL, ALL—		-	-	*	-	*	0.3	1.7	6.0	14.9	32.6	35.1	7.9	1.4	0.1	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		*														
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		1.3														
Other - Level 1		-														

702,348 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Average Staple 36.2
Percent Tenderable 91.0

Table 7. - **Florida**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.2	0.9	0.7	0.1	-	-	-	-	1.9
	3	-	-	-	-	-	*	0.3	1.0	1.1	0.3	-	-	-	-	2.7
	4	-	-	-	-	-	-	-	-	0.1	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.5	1.9	1.8	0.4	*	-	-	-	4.7
31	1-2	-	-	-	-	*	0.1	1.1	3.6	2.0	0.2	*	-	-	-	7.0
	3	-	-	-	-	*	0.5	5.5	17.6	12.9	2.0	0.1	-	-	-	38.6
	4	-	-	-	-	*	*	0.3	1.0	1.2	0.5	0.1	-	-	-	3.1
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	0.7	6.9	22.2	16.0	2.7	0.1	-	-	-	48.7
41	1-2	-	-	-	-	*	*	0.4	0.6	0.2	*	-	-	-	-	1.3
	3	-	-	-	-	*	0.8	4.4	9.8	5.9	0.9	*	-	-	-	21.9
	4	-	-	-	-	*	0.2	0.9	2.5	2.3	0.6	0.1	-	-	-	6.7
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	1.1	5.7	13.0	8.5	1.6	0.1	*	-	-	30.1
51	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.1	*	*	-	-	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	-	0.4
	3	-	-	-	-	*	0.2	0.7	1.4	0.7	0.1	*	-	-	-	3.2
	4	-	-	-	-	-	*	0.1	0.2	0.1	*	-	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	0.9	1.8	0.8	0.1	*	-	-	-	4.0
42	1-2	-	-	-	-	*	0.1	0.1	0.2	*	*	-	-	-	-	0.4
	3	-	-	-	-	0.1	0.9	1.9	2.6	1.0	0.1	*	*	-	-	6.6
	4	-	-	-	-	*	0.4	1.0	1.5	0.6	0.1	*	-	-	-	3.6
	5	-	-	-	-	-	*	0.1	0.1	*	-	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	1.4	3.1	4.3	1.7	0.2	*	*	-	-	10.8
52	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.2
	3	-	-	-	-	-	*	0.1	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.3

* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.2
	4	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.2
43	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.3	*	*	-	-	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	*	0.1	0.3	0.4	0.1	*	-	-	-	-	0.9
53	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	*	*	*	*	-	-	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL---		-	-	-	*	0.3	3.7	17.7	44.0	29.1	5.0	0.3	*	-	-	100.0
EXTRANEIOUS MATTER		Average Staple														34.1
		Percent Tenderable														54.4
Bark - Level 1	1.4															
Bark - Level 2	-															
Grass - Level 1	0.8															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	-															
Other - Level 1	-															

43,572 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 8. — **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.8
	3	-	-	-	*	*	0.1	0.3	0.5	0.5	0.2	*	*	-	-	1.7
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.4	0.8	0.8	0.3	*	*	-	-	2.5
31	1-2	-	-	-	*	*	0.3	0.8	1.3	0.7	0.1	*	*	-	-	3.3
	3	-	-	-	*	0.2	1.4	4.5	7.3	5.1	1.4	0.2	*	-	-	20.1
	4	-	-	-	*	*	*	0.2	0.3	0.3	0.1	*	*	-	-	1.0
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.2	1.7	5.6	8.9	6.0	1.6	0.3	*	*	-	24.4
41	1-2	-	-	-	*	0.1	0.4	1.0	0.9	0.3	*	*	*	-	-	2.7
	3	-	-	-	*	0.4	2.9	8.9	12.1	6.3	1.5	0.2	*	-	-	32.3
	4	-	-	-	*	*	0.2	1.1	1.7	1.2	0.4	0.1	*	-	-	4.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.4	3.6	11.0	14.8	7.8	2.0	0.3	*	*	-	39.9
51	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4
	3	-	-	-	*	0.1	0.5	1.2	1.0	0.4	0.1	*	*	-	-	3.3
	4	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	-	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.7	1.6	1.4	0.5	0.1	*	*	-	-	4.5
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	3	-	-	-	*	0.1	0.2	0.4	0.4	0.1	*	*	*	-	-	1.2
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.3	0.5	0.5	0.2	*	*	*	-	-	1.6
42	1-2	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	*	-	-	0.8
	3	-	-	*	*	0.5	2.2	4.3	4.1	1.6	0.2	*	*	-	-	13.1
	4	-	-	-	*	0.1	0.4	1.1	1.3	0.6	0.1	*	*	-	-	3.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	0.1	0.6	2.8	5.7	5.7	2.3	0.4	*	*	-	-	17.6
52	1-2	-	-	-	*	0.1	0.1	0.1	*	*	*	*	*	-	-	0.4
	3	-	-	-	*	0.3	1.3	2.1	1.3	0.4	*	*	*	-	-	5.6
	4	-	-	-	*	*	0.4	0.8	0.7	0.3	*	*	*	-	-	2.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.4	1.9	3.2	2.2	0.7	0.1	*	*	-	-	8.5

* Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY		LEAF	STAPLE													
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
43	1-2	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
53	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	4	-	-	-	-	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	*	*	*	0.2	0.2	0.1	*	*	*	-	-	-	0.6
63	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	0.1	-	*	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	8 2/	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
TOTAL, ALL—		-	-	*	0.2	2.0	11.5	28.3	34.5	18.4	4.5	0.7	*	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		1.9														
Bark - Level 2		-														
Grass - Level 1		1.5														
Grass - Level 2		*														
Prep - Level 1		0.5														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		*														

542,722 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 9. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	1.1	3.3	4.6	3.4	1.1	0.1	*	*	*	-	13.6
	3	-	-	-	*	0.2	0.5	0.9	0.9	0.5	0.1	*	*	*	-	3.0
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	1.2	3.8	5.5	4.3	1.6	0.2	0.1	*	*	-	16.7
31	1-2	-	-	-	*	0.3	1.6	3.8	4.5	2.2	0.4	*	*	*	-	12.8
	3	-	-	-	*	0.1	0.7	2.1	3.6	2.8	0.9	0.1	*	*	-	10.4
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	1.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.4	2.3	6.1	8.4	5.4	1.4	0.2	*	*	-	24.4
41	1-2	-	-	-	*	0.1	1.2	3.1	4.1	2.0	0.4	*	*	*	-	11.0
	3	-	-	-	*	0.1	1.2	4.4	8.2	6.1	1.8	0.2	*	-	-	22.0
	4	-	-	-	-	*	0.1	0.5	1.5	1.7	0.8	0.2	*	*	-	4.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
TOTAL----		-	-	-	*	0.2	2.4	8.0	13.8	9.8	3.0	0.5	0.1	*	-	37.9
51	1-2	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.1	0.5	0.9	0.6	0.1	*	*	-	-	2.2
	4	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.2	0.9	1.5	1.0	0.2	*	*	-	-	3.9
61	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	0.1	0.3	0.4	0.3	0.1	*	*	-	-	-	1.2
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.7
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.2	0.4	0.6	0.5	0.2	*	*	-	-	-	2.0
32	1-2	-	-	-	*	0.1	0.2	0.4	0.4	0.2	*	*	-	-	-	1.4
	3	-	-	-	*	0.1	0.3	0.6	0.7	0.4	0.1	*	-	-	-	2.1
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.2	0.6	1.1	1.3	0.7	0.1	*	*	-	-	4.0
42	1-2	-	-	-	*	*	0.2	0.4	0.5	0.2	*	*	-	-	-	1.4
	3	-	-	-	-	0.1	0.5	1.2	1.7	1.1	0.2	*	-	-	-	4.8
	4	-	-	-	-	*	0.1	0.4	0.7	0.6	0.2	*	*	-	-	2.0
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.1	0.8	2.0	3.0	1.9	0.4	*	*	-	-	8.4
52	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	-	-	-	1.0
	4	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	0.2	0.5	0.8	0.5	0.1	*	*	-	-	2.1

* Less than 0.05 percent.

Table 9. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*	
TOTAL---		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	*	*	-	*	*	*	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL---		-	-	-	*	*	*	*	*	*	*	-	-	-	-	*	
33	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL---		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3	
53	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1	
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL---		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
63	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL---		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/2	1-7	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*	
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL---		-	-	-	*	2.4	10.9	25.1	34.0	21.1	5.6	0.9	0.1	*	-	100.0	
EXTRANEEOUS MATTER																Average Staple Percent Tenderable	33.8 61.1
Bark - Level 1		0.1															
Bark - Level 2		*															
Grass - Level 1		0.3															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

826,632 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 10. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.4	1.2	1.6	1.2	0.4	0.1	*	-	-	-	4.8
	3	-	-	-	*	0.1	0.4	0.7	0.7	0.3	0.1	*	*	-	-	2.2
	4	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	0.4	1.6	2.3	2.0	0.8	0.1	*	*	-	*	7.2
31	1-2	-	-	-	*	0.1	0.8	2.2	2.8	1.4	0.2	*	*	-	-	7.6
	3	-	-	-	*	0.1	0.7	2.7	4.5	3.0	0.7	0.1	*	-	-	11.8
	4	-	-	-	*	*	0.1	0.2	0.6	0.6	0.2	*	*	-	-	1.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	0.2	1.6	5.2	7.9	5.0	1.1	0.1	*	-	-	21.1
41	1-2	-	-	-	*	0.1	0.7	1.9	2.3	1.0	0.1	*	-	-	-	6.2
	3	-	-	-	*	0.1	1.2	4.9	9.0	5.7	1.3	0.1	*	-	-	22.2
	4	-	-	-	-	*	0.2	0.8	2.3	2.5	0.8	0.1	*	-	-	6.7
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	0.3	2.1	7.7	13.7	9.3	2.3	0.2	*	-	-	35.5
51	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	-	*	0.1	0.4	0.8	0.5	0.1	*	*	-	-	1.9
	4	-	-	-	*	*	*	0.2	0.4	0.3	0.1	*	-	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	*	0.2	0.7	1.3	0.9	0.2	*	*	-	-	3.3
61	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
	3	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	-	-	-	1.1
	4	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	0.1	0.5	0.7	0.7	0.2	*	*	-	-	-	2.3
32	1-2	-	-	-	*	0.1	0.3	0.5	0.6	0.3	*	*	-	-	-	1.8
	3	-	-	-	*	0.1	0.3	0.8	1.0	0.6	0.2	*	*	-	-	3.0
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	0.1	0.6	1.4	1.9	1.1	0.3	*	*	-	-	5.5
42	1-2	-	-	-	*	0.1	0.5	0.9	0.9	0.4	*	*	-	-	-	2.9
	3	-	-	-	*	0.2	1.0	2.9	4.2	2.5	0.6	*	*	-	-	11.4
	4	-	-	-	*	*	0.3	1.0	1.9	1.6	0.6	*	*	-	-	5.4
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	0.3	1.8	4.7	7.1	4.7	1.3	0.1	*	-	-	20.0
52	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.2	0.6	0.8	0.5	0.1	*	-	-	-	2.1
	4	-	-	-	*	*	0.1	0.4	0.6	0.5	0.1	*	-	-	-	1.7
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL	-	-	-	*	*	0.3	1.0	1.6	1.1	0.3	*	*	-	-	4.4

* Less than 0.05 percent.

Table 10. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
53	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
63	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL, ALL----		-	-	-	*	1.7	8.8	23.9	36.4	23.1	5.7	0.4	*	-	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

1,434,911 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 11. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.8	1.4	0.5	*	*	-	-	2.9
	3	-	-	-	-	-	-	0.1	0.6	1.1	0.5	*	*	-	-	2.3
	4	-	-	-	-	-	-	-	-	0.1	-	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	1.4	2.6	1.0	0.1	*	-	-	5.4
31	1-2	-	-	-	-	*	*	0.6	3.5	4.5	1.4	0.1	*	-	-	10.3
	3	-	-	-	-	*	*	1.0	6.9	12.6	4.8	0.4	*	-	-	25.8
	4	-	-	-	-	*	*	0.1	0.8	1.9	0.9	0.1	*	-	-	3.8
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	1.7	11.3	19.1	7.1	0.6	*	-	-	-	40.0
41	1-2	-	-	-	-	*	*	0.5	1.7	2.0	0.6	*	-	-	-	4.8
	3	-	-	-	-	*	*	1.4	7.7	11.5	4.0	0.4	*	-	-	25.0
	4	-	-	-	-	*	*	0.2	1.7	3.1	1.2	0.2	*	-	-	6.4
	5	-	-	-	-	-	-	-	*	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	2.1	11.2	16.6	5.9	0.6	*	-	-	-	36.5
51	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.4	0.4	0.1	*	-	-	-	1.0
	4	-	-	-	-	-	-	*	0.1	0.1	-	*	-	-	-	0.3
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.6	0.6	0.1	*	-	-	-	1.5
61	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.2	*	*	-	-	-	-	0.4
32	1-2	-	-	-	-	*	*	0.1	0.5	0.3	0.1	*	-	-	-	1.0
	3	-	-	-	-	-	-	0.2	1.1	1.1	0.3	*	-	-	-	2.7
	4	-	-	-	-	-	-	*	0.2	0.2	0.1	*	-	-	-	0.6
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	1.8	1.7	0.4	*	-	-	-	4.3
42	1-2	-	-	-	-	*	*	0.2	0.6	0.3	*	*	-	-	-	1.2
	3	-	-	-	-	*	*	0.7	3.0	2.6	0.4	*	-	-	-	6.9
	4	-	-	-	-	*	*	0.2	0.8	0.9	0.2	*	-	-	-	2.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	1.1	4.5	3.9	0.7	*	-	-	-	-	10.3
52	1-2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.5	0.3	*	*	-	-	-	1.0
	4	-	-	-	-	-	-	*	0.2	0.2	*	*	-	-	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	0.7	0.5	0.1	*	-	-	-	1.5

* Less than 0.05 percent.

Table 11. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	*	0.3	5.8	31.8	45.2	15.5	1.4	*	-	-	100.0
TOTAL, ALL----		-	-	-	-	*	0.3	5.8	31.8	45.2	15.5	1.4	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		0.7														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														
			Average Staple 34.7													
			Percent Tenderable 82.1													

412,067 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 12. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.2	2.0	9.4	20.0	24.1	7.8	1.7	-	65.3
	3	-	-	-	-	-	-	-	0.2	0.8	2.9	7.8	4.8	1.7	-	18.3
	4	-	-	-	-	-	-	-	-	0.1	0.4	2.0	1.6	0.7	-	4.9
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	-	0.5
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	0.2	2.3	10.4	23.4	34.0	14.4	4.3	0.1	88.9
31	1-2	-	-	-	-	-	-	-	*	0.1	0.3	0.4	0.3	0.1	-	1.2
	3	-	-	-	-	-	-	-	*	0.2	0.3	0.5	0.6	0.2	-	1.8
	4	-	-	-	-	-	-	-	-	0.1	0.1	0.9	1.2	0.6	*	3.0
	5	-	-	-	-	-	-	-	-	*	0.1	0.2	0.4	0.3	*	1.0
	6	-	-	-	-	-	-	-	-	*	*	*	0.1	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	0.1	0.4	0.8	2.1	2.5	1.2	0.1	0.1	7.1
41	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	-	-	*	-	-	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	*	*	0.1	*	0.1	*	0.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	*	0.1	0.6	*	*	-	0.8
	3	-	-	-	-	-	-	-	-	*	0.2	0.9	0.1	0.1	-	1.4
	4	-	-	-	-	-	-	-	-	-	0.1	0.5	*	*	*	0.6
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	*	0.4	2.0	0.2	0.1	*	2.8
32	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	0.5
42	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*

* Less than 0.05 percent.

Table 12. -- **New Mexico** : Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	0.1	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	*	0.1	*	-	-	0.1
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	0.1	-	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	*	0.1	-	*	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL---		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL---		-	-	-	-	-	-	0.2	2.3	10.9	24.7	38.5	17.4	5.8	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.4															Average Staple 36.8
Bark - Level 2	-															Percent Tenderable 88.2
Grass - Level 1	0.3															
Grass - Level 2	-															
Prep - Level 1	-															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

20,249 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 13. — **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.2	0.2	0.2	0.1	*	*	-	-	0.7
	3	-	-	-	-	*	0.1	0.5	1.0	0.9	0.3	*	*	-	-	2.8
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	0.1	0.8	1.3	1.1	0.4	*	*	-	-	3.7
31	1-2	-	-	-	-	*	0.1	0.5	0.6	0.5	0.2	*	-	-	-	1.9
	3	-	-	-	*	*	1.1	7.2	14.9	15.7	7.0	1.0	*	-	-	46.9
	4	-	-	-	*	*	0.2	1.5	4.5	5.3	2.6	0.5	*	-	-	14.6
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	1.5	9.2	20.1	21.6	9.8	1.5	*	-	-	63.8
41	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.2	1.9	4.6	5.6	2.9	0.5	*	-	-	15.8
	4	-	-	-	*	*	0.1	1.2	3.6	4.6	2.6	0.7	*	-	-	12.7
	5	-	-	-	-	-	*	0.1	0.3	0.3	0.2	0.1	*	-	-	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	0.4	3.2	8.6	10.6	5.7	1.2	*	-	-	29.7
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.4
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.7
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.7
	3	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.8
	4	-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	*	*	*	0.2	0.6	0.6	0.2	*	*	-	-	1.7
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 13. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	*	0.1	2.1	13.7	30.9	34.2	16.3	2.8	*	-	-	100.0
EXTRANEEOUS MATTER		Average Staple														34.6
		Percent Tenderable														90.0
Bark - Level 1		1.6														
Bark - Level 2		*														
Grass - Level 1		2.5														
Grass - Level 2		*														
Prep - Level 1		0.4														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

361,303 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 14. -- **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	0.1	0.3	0.7	1.0	1.5	4.3	10.7	17.3	22.1	12.6	0.7	*	-	71.3
	3	-	0.1	0.3	0.7	1.0	1.0	1.1	1.4	2.3	2.2	0.9	*	-	-	11.0
	4	-	*	0.1	0.3	0.4	0.3	0.1	0.1	0.1	0.1	0.1	*	-	-	1.8
	5	-	*	*	*	*	0.1	*	*	-	*	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	0.2	0.8	1.8	2.4	2.8	5.5	12.2	19.8	24.4	13.6	0.8	*	-	84.2
31	1-2	-	-	*	*	*	*	0.1	0.2	0.5	0.6	0.5	0.1	*	-	1.9
	3	-	-	*	*	*	*	0.1	0.1	0.2	0.3	0.1	*	-	-	0.9
	4	-	*	*	*	0.1	*	*	*	*	*	*	-	-	-	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	*	*	-	*	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	0.1	0.1	0.1	0.2	0.3	0.7	0.9	0.6	0.1	*	-	3.3
41	1-2	-	-	-	-	*	-	*	*	*	*	-	*	-	-	*
	3	-	*	-	-	*	-	*	*	*	*	-	*	-	-	*
	4	-	-	-	*	*	*	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	*	*	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	-	-	-	-	-	-	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	0.1	0.1	0.4	0.5	0.4	0.7	1.0	0.9	0.3	0.1	*	-	-	4.4
	3	-	*	0.2	0.4	0.5	0.4	0.4	0.5	0.6	0.3	0.1	*	-	-	3.4
	4	-	*	*	0.1	0.2	0.1	0.1	0.1	0.1	0.1	*	-	-	-	1.0
	5	-	-	*	*	*	*	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	*	*	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	0.1	0.4	0.9	1.3	0.9	1.1	1.6	1.6	0.7	0.2	*	-	-	8.9
32	1-2	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	3	-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	-	-	0.8
	4	-	*	*	*	*	*	*	*	0.1	0.1	*	*	-	-	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.3
	6	-	*	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	*	*	*	*	*	*	-	-	-	-	-	-	*
	TOTAL----	-	*	0.1	0.1	0.2	0.2	0.2	0.2	0.4	0.4	0.1	*	-	-	1.9
42	1-2	-	-	*	*	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
52	1-2	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*

* Less than 0.05 percent.

Table 14. — **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	0.1	0.1	*	0.1	*	0.1	*	*	-	-	-	0.4
33	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	*	*	*	*	*	*	*	0.1	0.1	*	-	-	0.3
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.1	*	*	0.1	0.1	0.1	0.1	*	-	-	0.6
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	*	*	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	*	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	*	-	*	-	-	*	-	-	*
	3	-	-	-	*	*	-	-	-	-	*	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	-	*	*	-	*	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	*	-	*	*	*	*	*	*	*	*	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	-	-	*	*	-	-	-	*
	8 2/	-	-	*	*	*	*	*	-	-	-	-	-	-	-	*
TOTAL, ALL----		-	0.3	1.3	3.1	4.2	4.2	7.2	14.7	22.8	26.6	14.7	0.9	*	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.7														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

75,395 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 15. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	0.1	0.3	0.7	0.8	0.5	0.1	*	-	-	-	2.5
	3	-	-	-	-	*	0.3	0.8	1.1	0.9	0.2	*	-	-	-	3.3
	4	-	-	-	-	-	-	*	0.1	*	-	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.6	1.5	2.0	1.4	0.4	*	-	-	-	5.9
31	1-2	-	-	-	*	0.1	0.9	1.9	1.4	0.5	0.1	*	-	-	-	5.0
	3	-	-	-	*	0.4	3.8	12.6	13.4	6.8	1.5	0.1	*	-	-	38.6
	4	-	-	-	*	*	0.2	1.6	2.4	1.6	0.7	0.1	*	-	-	6.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.6	5.0	16.1	17.3	8.9	2.3	0.2	*	-	-	50.4
41	1-2	-	-	-	*	*	0.2	0.4	0.3	0.1	*	-	-	-	-	1.1
	3	-	-	-	*	0.3	3.3	8.2	6.7	3.2	0.8	*	-	-	-	22.5
	4	-	-	-	*	*	0.5	2.2	2.6	1.7	0.7	*	-	-	-	7.8
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.4	4.0	10.8	9.6	5.1	1.5	0.1	-	-	-	31.5
51	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.6
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	-	*	0.1	0.4	0.8	0.4	0.1	*	*	-	-	-	1.8
	4	-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	-	-	0.7
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	0.5	1.1	0.7	0.2	0.1	*	-	-	-	2.7
42	1-2	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	-	0.2
	3	-	-	-	*	0.2	1.1	2.0	1.1	0.4	0.1	*	*	-	-	4.8
	4	-	-	-	*	*	0.4	1.0	0.8	0.5	0.1	*	-	-	-	2.8
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.3	1.6	3.1	2.0	0.9	0.2	*	*	-	-	8.0
52	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.4
	3	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	-	0.3
	4	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.1	0.3	0.2	*	*	*	-	-	-	0.7

* Less than 0.05 percent.

Table 15. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	-	*	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	*	-	*	-	-	-	-	*
33	1-2	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
43	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	-	-	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	*	1.4	11.8	33.1	32.1	16.7	4.5	0.3	*	-	-	100.0
EXTRANEOUS MATTER																
Bark - Level 1		0.9														
Bark - Level 2		*														
Grass - Level 1		1.1														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

136,931 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 16. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	0.2	1.5	4.4	3.8	1.1	0.1	*	*	-	-	11.0
	3	-	-	-	-	0.1	0.5	2.2	3.0	1.2	0.2	*	*	-	-	7.2
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.2	2.0	6.6	6.9	2.4	0.3	*	*	-	-	18.5
31	1-2	-	-	-	-	0.3	2.3	5.1	3.9	1.2	0.1	*	*	-	-	12.9
	3	-	-	-	-	0.3	3.4	11.6	13.8	5.4	0.8	*	*	-	-	35.3
	4	-	-	-	-	*	0.3	1.0	1.9	1.1	0.2	*	*	-	-	4.5
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.6	6.0	17.8	19.6	7.8	1.1	*	*	-	-	52.9
41	1-2	-	-	-	-	*	0.3	0.8	0.6	0.2	*	*	*	-	-	2.0
	3	-	-	-	-	0.1	1.2	4.3	5.3	2.2	0.3	*	*	-	-	13.4
	4	-	-	-	-	0.1	0.4	1.0	1.5	0.8	0.1	*	*	-	-	3.9
	5	-	-	-	-	*	*	0.1	0.1	*	-	-	-	-	-	0.3
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.2	1.9	6.1	7.6	3.2	0.5	*	*	-	-	19.6
51	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	-	-	0.5
61	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	4	-	-	-	-	*	*	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
32	1-2	-	-	-	-	*	0.3	0.4	0.3	0.1	*	*	*	-	-	1.1
	3	-	-	-	-	*	0.3	0.8	0.7	0.2	*	*	*	-	-	2.2
	4	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	0.7	1.4	1.2	0.4	0.1	*	*	-	-	3.7
42	1-2	-	-	-	-	*	0.1	0.3	0.1	*	*	*	*	-	-	0.6
	3	-	-	-	-	*	0.3	0.9	0.8	0.2	*	*	*	-	-	2.3
	4	-	-	-	-	*	0.1	0.2	0.3	0.1	*	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.5	1.4	1.2	0.4	*	*	*	-	-	3.6
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	-	0.2

* Less than 0.05 percent.

Table 16. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	1.3	11.4	33.9	36.9	14.3	2.0	0.1	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.2															Average Staple 33.6
Bark - Level 2	-															Percent Tenderable 78.2
Grass - Level 1	0.3															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

609,046 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 17. — **Texas**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	0.2	0.7	2.5	5.8	8.9	8.4	5.1	2.2	1.0	0.1	*	*	35.0
	3	*	*	0.2	0.6	1.5	2.7	3.5	3.3	2.3	1.4	1.2	0.1	*	*	16.7
	4	*	*	*	0.1	0.3	0.5	0.7	0.6	0.4	0.2	0.2	*	*	*	3.2
	5	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	0.4	1.5	4.4	9.1	13.2	12.5	7.8	3.9	2.4	0.2	*	*	55.3
31	1-2	-	*	*	*	0.2	1.0	2.1	2.2	1.2	0.3	0.2	*	*	*	7.2
	3	-	*	*	*	0.3	1.0	2.1	2.0	1.1	0.7	0.5	0.1	*	*	7.9
	4	*	*	*	*	0.1	0.2	0.3	0.4	0.3	0.3	0.3	*	*	*	1.9
	5	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.4
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	*	0.1	0.6	2.4	4.6	4.7	2.7	1.3	1.0	0.1	*	*	17.6
41	1-2	-	*	*	*	0.1	0.3	0.6	0.5	0.2	*	*	*	*	*	1.8
	3	-	*	*	*	0.2	0.6	1.3	1.4	0.6	0.3	0.2	*	*	*	4.5
	4	-	*	*	*	*	0.1	0.3	0.4	0.3	0.3	0.3	*	*	*	1.8
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	*	*	0.3	1.1	2.3	2.4	1.2	0.6	0.5	0.1	*	*	8.5
51	1-2	-	-	*	*	*	*	0.1	*	*	*	*	*	*	*	0.2
	3	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6
	4	-	-	-	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL—	-	*	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	*	1.0
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	0.2	0.5	1.0	1.0	0.7	0.3	*	*	*	*	*	3.9
	3	*	*	*	0.2	0.4	0.6	0.7	0.6	0.3	0.1	*	*	*	*	3.0
	4	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	0.7
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	0.1	0.4	1.1	1.8	1.9	1.5	0.6	0.1	*	*	*	*	7.6
32	1-2	-	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	*	*	*	1.0
	3	-	*	*	*	0.2	0.6	0.8	0.5	0.2	*	*	*	*	*	2.4
	4	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	*	0.1	0.4	1.0	1.4	0.9	0.3	0.1	*	*	*	*	4.3
42	1-2	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	*	*	0.6
	3	-	*	*	*	0.2	0.5	0.8	0.7	0.2	*	*	*	*	*	2.4
	4	*	-	*	*	*	0.2	0.4	0.3	0.1	*	*	*	*	*	1.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	*	*	0.3	0.8	1.4	1.2	0.4	0.1	*	*	*	*	4.2
52	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
	4	*	-	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.6

* Less than 0.05 percent.

Table 17. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	*	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	3	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	*	*	*	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	-	-	0.4
33	1-2	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	*	*	*	*	-	-	-	-	-	-	-	*
TOTAL----		-	*	*	*	*	*	0.1	*	*	*	*	-	-	-	0.2
43	1-2	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	*	-	-	*	-	-	-	-	-	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	*	-	-	-	-	*	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	8 2/	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL----		*	0.1	0.5	2.3	7.2	16.6	25.6	23.8	13.2	6.2	4.1	0.4	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		2.1														
Bark - Level 2		*														
Grass - Level 1		0.8														
Grass - Level 2		*														
Prep - Level 1		0.4														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

1,967,311 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 18. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.3
	3	-	-	-	-	-	-	0.2	0.5	1.1	1.1	0.2	-	-	-	3.1
	4	-	-	-	-	-	-	*	*	0.2	0.1	*	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	0.6	1.4	1.3	0.2	-	-	-	3.7
31	1-2	-	-	-	-	*	*	0.2	0.3	0.3	0.4	*	-	-	-	1.4
	3	-	-	-	-	*	0.1	4.9	10.4	17.0	18.1	4.5	*	-	-	55.0
	4	-	-	-	-	-	*	1.0	4.3	8.7	6.8	1.5	*	-	-	22.3
	5	-	-	-	-	-	-	*	0.1	0.3	0.2	*	-	-	-	0.6
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	6.2	15.2	26.2	25.5	6.1	*	-	-	79.2
41	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	-	*	0.5	1.5	2.7	2.3	0.5	*	-	-	7.6
	4	-	-	-	-	*	*	0.2	1.3	3.2	2.6	0.5	-	-	-	7.8
	5	-	-	-	-	-	-	*	0.1	0.3	0.3	*	-	-	-	0.8
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.8	3.0	6.2	5.3	1.1	*	-	-	16.3
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	0.4
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*

* Less than 0.05 percent.

Table 18. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed through November 2, 2000

QUALITY		November 2, 2000														
COLOR	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL----		-	-	-	-	*	0.1	7.2	18.9	34.1	32.3	7.4	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.6															
Bark - Level 2	-															
Grass - Level 1	2.1															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

32,957 Bales classed. 1/ Below Color. 2/ Below Leaf. * Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through November 2, 2000

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
MIKE									
24 & below	*	*	*	*	*	*	*	*	*
25	*	*	*	*	*	*	*	*	*
26	*	*	*	*	*	*	*	*	*
27	*	*	*	*	*	*	*	*	*
28	0.1	*	*	*	*	*	*	*	*
29	0.1	*	*	*	*	*	*	0.1	*
30	0.3	*	*	*	*	*	*	0.1	*
31	0.3	*	*	*	*	*	*	0.2	0.1
32	1.0	*	0.1	0.1	*	*	0.1	0.3	0.2
33	1.7	*	0.1	0.1	*	*	0.1	0.5	0.3
34	2.0	0.1	0.3	0.1	*	0.1	0.3	0.9	0.9
35	3.6	0.1	0.5	0.2	0.1	0.1	0.4	1.2	1.5
36	3.9	0.2	0.9	0.4	0.1	0.2	0.6	1.8	2.3
37	4.8	0.3	1.4	0.9	0.2	0.4	1.0	2.5	3.4
38	6.0	0.5	2.1	1.6	0.5	0.8	1.3	3.3	4.9
39	5.5	0.8	3.0	3.0	0.7	1.6	2.1	4.3	6.8
40	6.4	1.4	4.3	5.3	1.1	2.4	3.0	5.4	8.6
41	6.4	2.1	5.7	8.1	1.7	3.9	4.0	6.6	9.9
42	6.5	3.2	7.0	11.4	2.3	6.0	5.8	7.7	10.9
43	7.4	4.6	8.5	14.1	3.8	8.6	7.1	8.7	10.8
44	6.9	5.9	9.7	13.8	4.4	11.0	8.5	9.1	10.1
45	6.5	7.0	10.3	11.1	6.4	13.2	10.2	9.1	8.9
46	6.6	8.5	10.8	8.5	8.4	14.4	11.3	8.9	7.1
47	5.9	9.3	10.2	6.1	9.7	13.6	12.6	8.4	5.3
48	5.6	10.2	8.9	4.8	13.1	10.6	10.9	7.1	3.5
49	4.3	10.0	6.8	3.9	13.2	8.4	5.5	3.9	1.3
50	3.1	9.5	4.5	2.5	11.6	6.1	3.7	2.3	0.7
51	2.4	8.6	2.9	1.7	10.4	1.6	1.9	1.2	0.2
52	1.4	7.2	1.4	1.1	7.3	0.5	0.5	0.5	0.1
53	0.7	5.2	0.4	0.6	3.6	0.2	*	0.2	*
54	0.3	3.2	0.1	0.3	1.2	*	*	*	*
55	*	1.2	*	0.1	0.1	*	*	*	*
56	*	0.5	*	*	*	*	*	*	*
57	*	0.1	*	*	*	*	*	*	*
58	*	*	*	*	*	*	*	*	*
59	*	*	*	*	*	*	*	*	*
60 & above	*	*	*	*	*	*	*	*	*
Average mike	42.5	47.8	44.8	44.1	47.9	46.4	46.6	44.9	43.5
FIBER STRENGTH 1/									
17 & below	*	*	*	*	*	*	*	*	*
18	*	*	*	*	*	*	*	*	*
19	*	*	*	*	*	*	*	*	*
20	*	*	*	*	*	*	*	*	*
21	*	0.1	*	*	*	0.2	*	0.2	*
22	0.1	0.3	*	*	0.2	1.9	0.5	0.9	0.1
23	0.4	1.0	0.2	0.1	1.5	6.6	3.2	3.7	1.1
24	2.5	4.1	1.4	0.6	7.5	12.1	10.7	12.2	6.2
25	12.6	10.9	6.4	2.0	19.9	16.6	22.8	26.5	19.7
26	27.4	16.8	18.9	3.6	27.2	19.1	28.4	29.3	32.3
27	27.8	18.5	32.1	4.8	22.8	18.2	20.1	17.2	25.8
28	17.6	16.8	25.7	5.2	12.5	13.3	9.1	6.9	10.7
29	7.9	13.8	10.6	5.8	5.3	7.3	3.3	2.1	3.1
30	2.7	9.3	3.4	10.6	2.1	3.1	1.2	0.7	0.8
31	0.8	5.2	0.9	19.6	0.6	1.1	0.5	0.2	0.3
32	0.2	2.2	0.3	23.4	0.1	0.3	0.2	0.1	0.1
33	*	0.8	0.1	15.1	*	0.1	0.1	*	*
34	*	0.2	*	6.1	*	*	*	*	*
35	*	*	*	3.1	*	*	*	*	*
36 & above	*	*	*	*	*	*	*	*	*
Average strength	26.8	27.5	27.3	31.9	27.4	27.2	27.0	26.8	27.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 19. -- Percentage distribution of mike and fiber strength for upland cotton classed through November 2, 2000

MIKE AND FIBER STRENGTH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	-	-	0.3	-	-	*	-	*
25	0.1	-	0.2	-	-	0.1	-	*
26	0.1	-	0.2	-	-	0.2	-	*
27	0.1	*	0.4	*	-	0.3	*	0.1
28	0.3	*	0.5	*	*	0.5	*	0.1
29	0.3	*	0.6	0.1	*	0.7	*	0.2
30	0.4	0.1	0.9	0.1	0.1	1.1	0.1	0.3
31	0.6	0.1	1.0	0.2	0.2	1.5	0.2	0.4
32	0.8	0.2	0.9	0.2	0.5	2.1	0.3	0.6
33	1.6	0.5	1.1	0.5	1.0	2.9	0.7	0.9
34	2.1	0.9	1.3	0.8	1.5	3.9	1.6	1.3
35	4.0	1.7	1.7	1.3	2.5	4.7	2.9	1.8
36	5.1	3.0	1.7	1.8	3.6	5.7	4.7	2.3
37	6.2	4.7	2.4	2.5	4.8	6.4	8.0	3.0
38	7.0	6.7	3.3	3.6	6.4	7.1	10.7	3.8
39	8.0	8.8	3.9	4.6	7.7	7.5	13.0	4.5
40	8.3	10.8	4.5	5.9	8.8	7.4	13.1	5.5
41	7.8	12.3	5.7	7.2	9.6	7.4	12.6	6.4
42	8.5	13.0	6.6	8.9	9.5	7.1	10.0	7.3
43	7.5	11.9	7.1	10.1	9.4	6.6	8.5	8.1
44	7.4	9.4	8.1	10.6	8.5	5.8	6.4	8.4
45	6.6	6.8	8.3	10.3	7.2	5.0	3.8	8.2
46	5.2	4.5	8.1	9.3	6.0	4.3	1.8	8.0
47	3.2	2.7	7.6	7.8	4.5	3.5	0.9	7.4
48	3.2	1.3	7.3	5.9	3.2	2.7	0.4	6.7
49	2.4	0.6	6.5	3.8	2.2	2.0	0.2	5.4
50	1.8	0.1	4.9	2.2	1.4	1.3	0.1	3.8
51	0.9	0.1	2.7	1.3	0.8	0.9	*	2.6
52	0.3	*	1.1	0.6	0.5	0.6	*	1.6
53	0.2	*	0.5	0.2	0.1	0.3	-	0.8
54	0.1	*	0.3	0.1	0.1	0.2	-	0.3
55	*	*	*	*	*	0.1	-	0.1
56	*	*	*	*	*	*	*	*
57	*	-	-	*	-	*	-	*
58	-	*	*	-	-	*	-	*
59	-	*	-	*	-	*	-	*
60 & above	-	-	-	-	-	-	-	*
Average mike	41.1	41.4	43.3	43.4	41.9	40.2	40.1	43.5
FIBER STRENGTH 1/ 17 & below	-	-	*	-	-	*	-	*
18	-	-	*	-	-	*	-	*
19	-	-	*	-	-	*	-	*
20	-	*	0.1	*	-	0.1	*	*
21	-	0.1	0.3	*	-	0.2	*	0.1
22	*	0.2	0.6	0.1	*	0.7	*	0.2
23	0.1	1.4	1.1	0.9	0.2	1.9	0.8	0.9
24	0.3	6.7	2.4	4.0	1.7	5.6	4.6	3.5
25	0.5	17.2	4.9	12.3	7.7	12.8	14.9	10.0
26	2.3	25.2	9.1	22.6	20.2	17.9	26.7	19.4
27	6.3	22.6	12.1	25.2	31.6	16.9	27.2	23.5
28	10.2	13.3	12.9	18.7	24.6	14.4	15.0	17.7
29	12.6	7.2	12.8	9.9	10.2	11.6	6.6	9.6
30	18.9	3.8	11.9	4.2	2.9	8.3	2.8	4.9
31	21.7	1.7	10.1	1.5	0.7	5.2	0.9	3.0
32	15.4	0.6	8.4	0.4	0.2	2.7	0.2	2.6
33	7.9	0.2	6.5	0.1	*	1.2	0.1	2.3
34	3.2	*	4.5	*	*	0.4	*	1.4
35	0.5	*	1.8	-	*	0.1	*	0.5
36 & above	0.1	*	0.3	-	-	*	-	0.3
Average strength	30.3	26.6	29.1	27.0	27.2	27.3	26.7	27.5

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through November 2, 2000

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA :	FLORIDA	GEORGIA	LOUISIANA	MISSISSIPPI	MISSOURI
UNIFORMITY 1/									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	*	*	-	-
74	*	*	-	*	-	*	*	*	-
75	*	*	-	*	*	*	*	*	-
76	*	*	*	*	*	*	*	*	-
77	0.2	0.1	*	*	0.1	*	0.1	*	0.1
78	1.5	0.5	0.1	0.1	0.6	1.1	0.9	0.3	1.3
79	7.2	3.3	1.7	0.8	3.8	8.2	6.2	3.4	8.9
80	21.8	16.0	11.4	4.7	17.9	25.7	23.3	17.4	33.8
81	34.8	37.5	34.8	18.1	35.8	37.7	38.6	40.0	40.0
82	25.7	31.9	37.2	40.7	29.9	21.4	24.1	30.1	14.1
83	7.9	9.5	13.1	28.7	10.5	5.2	6.0	7.9	1.8
84	0.9	1.2	1.6	6.1	1.4	0.6	0.7	0.8	0.1
85	*	0.1	*	0.6	*	*	*	*	-
86	*	*	-	*	-	-	-	-	-
87	*	-	-	*	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.0	81.3	81.5	82.1	81.3	80.9	81.0	81.2	81.6
TRASH 2/									
00	0.1	0.3	*	*	*	-	0.9	*	*
01	10.3	51.3	2.4	25.8	4.0	0.8	15.8	6.0	2.5
02	24.1	34.7	19.6	44.0	19.6	12.1	26.1	24.4	19.7
03	25.2	9.4	30.6	20.6	27.6	26.7	22.8	28.7	32.2
04	18.3	2.7	23.4	6.8	22.5	26.2	15.2	20.1	24.8
05	10.9	0.9	12.9	2.0	13.8	17.3	8.8	11.1	12.7
06	5.7	0.3	6.1	0.6	6.8	8.8	4.8	5.2	5.1
07	3.0	0.2	2.7	0.2	3.2	4.2	2.5	2.4	1.8
08	1.4	0.1	1.2	*	1.4	2.0	1.4	1.1	0.6
09	0.5	*	0.6	*	0.6	1.0	0.8	0.5	0.3
10	0.3	*	0.3	*	0.2	0.4	0.4	0.2	0.1
11	0.2	*	0.1	*	0.2	0.2	0.2	0.1	*
12	0.1	*	0.1	*	0.1	0.1	0.2	0.1	*
13	*	*	*	*	*	*	*	*	*
14	*	*	*	*	*	*	*	*	*
15	*	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	*	*	*
17	*	*	*	*	*	*	*	*	*
18 & above	*	*	*	*	*	*	*	*	*
Average trash	0.34	0.17	0.37	0.22	0.37	0.41	0.31	0.34	0.35

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 20. -- Percentage distribution of uniformity and trash for upland cotton classed through November 2, 2000

UNIFORMITY AND TRASH	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/								
72 & below	-	-	-	-	-	*	-	*
73	-	-	*	-	-	*	-	*
74	-	-	*	-	-	*	-	*
75	*	-	0.1	-	-	*	-	*
76	*	*	0.4	*	-	0.1	-	*
77	*	*	1.6	*	-	0.4	-	0.2
78	0.5	0.2	3.6	0.7	1.4	2.3	0.1	1.0
79	1.7	3.4	7.4	7.6	7.1	8.7	1.4	5.1
80	10.0	17.0	15.5	29.8	22.5	22.2	9.9	18.0
81	30.9	36.3	29.0	37.6	38.6	34.5	29.5	35.1
82	32.9	32.0	28.4	19.6	24.5	23.8	38.5	29.2
83	19.4	10.0	11.9	4.3	5.6	7.0	18.1	10.0
84	4.1	1.1	2.0	0.4	0.5	0.8	2.5	1.4
85	0.4	*	0.1	*	*	*	0.1	0.1
86	-	-	-	-	-	*	-	*
87	-	-	-	-	-	*	-	*
88	-	-	-	-	-	-	-	*
89	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-
Average uniformity	81.7	81.3	81.1	80.8	81.0	80.9	81.7	81.2
TRASH 2/								
00	0.1	-	*	-	*	*	-	0.1
01	28.1	0.3	44.7	2.0	4.0	21.5	0.1	12.3
02	35.3	7.1	33.8	15.7	22.0	34.9	4.6	26.1
03	19.0	21.0	11.8	28.0	30.3	22.0	18.4	25.2
04	9.0	25.4	4.9	26.3	22.3	11.2	26.6	17.4
05	4.3	20.0	2.2	15.7	12.0	5.3	23.1	9.7
06	1.9	12.2	1.1	7.3	5.4	2.4	14.1	4.7
07	1.0	6.5	0.6	2.9	2.2	1.2	7.2	2.2
08	0.6	3.4	0.3	1.1	1.0	0.6	3.2	1.1
09	0.3	1.8	0.2	0.5	0.4	0.3	1.3	0.5
10	0.3	0.9	0.1	0.2	0.2	0.2	0.7	0.3
11	0.1	0.5	0.1	0.1	0.1	0.1	0.4	0.1
12	0.1	0.3	*	0.1	0.1	0.1	0.2	0.1
13	*	0.2	*	*	*	*	0.1	*
14	*	0.1	*	*	*	*	*	*
15	*	0.1	*	*	*	*	*	*
16	-	*	*	*	*	*	*	*
17	-	*	*	*	*	*	*	*
18 & above	-	0.1	*	*	*	*	*	*
Average trash	0.24	0.47	0.20	0.38	0.35	0.27	0.47	0.32

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of grade, staple, mike and strength of *American Pima* cotton, by state and U.S. for classings through November 2, 2000

Grade, staple and mike	State				United States
	Arizona	California	New Mexico	Texas	
Grade					
01	26.9	28.5	6.0	11.5	27.4
02	69.5	67.5	70.8	75.6	67.9
03	2.5	4.0	22.8	12.6	4.5
04	0.3	0.1	0.4	0.3	0.1
05	0.2	-	0.2	-	*
06	0.4	*	-	-	*
07	0.3	*	-	-	*
Staple					
40 and shorter	-	-	-	-	-
42	-	*	-	1.8	0.1
44	47.9	13.7	41.2	46.5	16.6
46	48.6	70.2	51.7	49.7	68.4
48 and longer	3.5	16.1	7.2	2.0	14.9
Average staple	45.1	46.0	45.3	45.0	45.1
Mike					
24 and below	-	-	-	-	-
25-26	-	*	-	0.1	*
27-29	0.6	*	-	0.3	0.1
30-32	2.3	*	-	1.4	0.4
33-34	6.4	0.2	-	6.0	1.3
35-36	17.0	0.5	1.2	52.5	64.7
37-42	68.4	65.2	61.1	39.6	33.4
43-49	5.3	34.1	37.7	-	-
50-52	-	-	-	-	-
53 and above	-	-	-	-	-
Average mike	38	42	42	41	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	-	-	-	*	*
32	-	-	-	0.1	*
33	0.3	*	-	0.2	0.1
34	1.6	*	0.4	1.2	0.2
35	4.0	0.1	0.7	4.2	0.9
36	9.8	0.3	4.7	9.4	2.2
37	14.5	1.3	13.8	30.4	7.0
38	18.9	5.2	19.3	22.4	15.6
39	20.1	15.0	24.7	14.9	22.3
40	15.3	23.0	15.8	11.0	23.0
41	10.4	24.2	11.7	5.4	16.7
42	3.5	17.9	3.7	0.5	8.6
43	1.1	9.4	3.0	3.7	2.9
44	0.8	3.1	1.9	1.2	0.5
45 & above	0.4	0.5	-	-	-
Average strength	38.5	40.7	39.1	38.9	38.7
Extraneous matter					
Grass	1.1	1.3	0.7	0.6	1.3
Spindle Twist	0.1	*	0.2	*	*
Preparation	-	*	-	-	*

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

BALES CLASSED

Arizona -----	2,796
California -----	77,208
New Mexico -----	571
Texas -----	4,090
United States -----	84,665